



2019
COLLECTION



FRENCH CHARM & EXPERTISE

SERIE 8F

Technical data*

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (depending on model: 20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.

20
19



High
beds



High
beds

850F

855F

866F

VEHICLE DIMENSIONS			
Overall length (m)	6,64	6,94	7,49
Overall width (m)	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76
Overall height (m) [A]	2,89	2,89	2,89
SEATS			
Number of seatbelts	2+3	2+2	2+2
Number of seats (vehicle certificate)	5**	4	4***
Number of dining seats	5	5	5
Sleeping spaces	2+2+1	2+2	2+2
Sleeping spaces (with option of no cab bed)	2+1	2+1	2+1
WEIGHT			
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Unladen weight in running order	3045	3065	3125
CHASSIS			
Chassis	FIAT	FIAT	FIAT
Engine equipment [C]	2,3 L - 130 hp	2,3 L - 130 hp	2,3 L - 130 hp
Anti-pollution standard	Euro 6	Euro 6	Euro 6
Wheelbase (m)	3,8	4,035	4,035
Wider rear track (m)	1,98	1,98	1,98
STORAGE AREA/GARAGE			
Internal dimensions (max H x max W)	96 x 87	126 x 86	126 x 114
Access right side in cm (H x W)	85 x 60	110 x 87	110 x 87
Access left side in cm (H x W)	-	75 x 60	85 x 87
Heated	Yes	Yes	Yes
HEATING			
Type of heating	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS
BED SIZES			
Rear bed (mm)	1350 x 1950	800 x 1900 + 800 x 1980 or king size 1370 x 2060	2 x (850 x 2050) or king size 1370 x 2060
Extra dinette bed (mm)	630/980 x 2080	-	-
Overcab drop-down bed (mm)	1400 x 1910	1400 x 1910	1400 x 1910
AUTONOMY			
Capacity of fresh water tank (litres) [D]	120/20	120/20	120/20
Capacity of waste water tank (litres)	120	120	120
Refrigerator capacity (L)	135	135	149

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Empty weight: the value shown in the catalogue based on a mechanical gearbox and entry level engines without towing capability.

* All data (weight / measures) are indicated with a tolerance of 5%.

** 5 registered seats without towing capability / 4 registered seats with towing capability ; GVW 3650/4400 kg = 5 registered seats

*** 4 registered seats without towing capability / 3 registered seats with towing capability ; GVW 3650/4400 kg = 4 registered seats

**** HEAVY chassis: GVW = 4400 kg (150 hp/177 hp) (option at additional cost)

[A] Overall height = +45 mm with HEAVY chassis and/or 16" wheels

[B] GVW 3500 → GCW 5500 ; 3650 → 5650 ; 4400 → 6000 kg

[C] OPTION (additional cost) :

- Fiat 2,3 L - 150 hp

- Fiat 2,3 L - 177 hp

[D] Fresh water tank can be filled up to 120 L and 140 L (883F), which results in a lower payload.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

A-class models with special FIAT chassis & extra-wide rear track

20
19



880F

883F

896F

VEHICLE DIMENSIONS			
Overall length (m)	7,04	6,99	7,49
Overall width (m)	2,35	2,35	2,35
Overall "garage" width (m) with rear view mirrors open	2,76	2,76	2,76
Overall height (m) [A]	2,89	2,89	2,89
SEATS			
Number of seatbelts	2+2	2+2	2+2
Number of seats (vehicle certificate)	4	4	4**
Number of dining seats	5	5	5
Sleeping spaces	2+2	2+2	2+2
Sleeping spaces (with option of no cab bed)	2 + 1	2 + 1	2+1
WEIGHT			
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T***	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T***	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T***
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Unladen weight in running order	3065	3065	3075
CHASSIS			
Chassis	FIAT	FIAT	FIAT
Engine equipment [C]	2,3 L - 130 hp	2,3 L - 130 hp	2,3 L - 130 hp
Anti-pollution standard	Euro 6	Euro 6	Euro 6
Wheelbase (m)	4,035	4,035	4,035
Wider rear track (m)	1,98	1,98	1,98
STORAGE AREA/GARAGE			
Internal dimensions (max H x max W)	115 x 114	116 x 99	115 x 114
Access right side in cm (H x W)	110 x 87	110 x 87	110 x 87
Access left side in cm (H x W)	75 x 60	70 x 87	70 x 87
Heated	Yes	Yes	Yes
HEATING			
Type of heating	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS
BED SIZES			
Rear bed (mm)	1500 x 1940	1300/1400 x 2030	1600 x 1960
Overcab drop-down bed (mm)	1400 x 1910	1400 x 1910	1400 x 1910
AUTONOMY			
Capacity of fresh water tank (litres) [D]	120/20	140/20	120/20
Capacity of waste water tank (litres)	120	120	120
Refrigerator capacity (L)	149	149	149

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Empty weight: the value shown in the catalogue based on a mechanical gearbox and entry level engines without towing capability.

* All data (weight / measures) are indicated with a tolerance of 5%.

** 150 hp/177 hp with Comfort Matic robotised automatic gearbox = 4 registered seats without towing capability / 3 registered seats with towing capability ; GVW 3650/4400 kg = 4 registered seats

*** HEAVY chassis: GVW = 4400 kg (150 hp/177 hp) (option at additional cost)

[A] Overall height = +45 mm with HEAVY chassis and/or 16" wheels

[B] GVW 3500 → GCW 5500 ; 3650 → 5650 ; 4400 → 6000 kg

[C] OPTION (additional cost) :

- Fiat 2,3 L - 150 hp

- Fiat 2,3 L - 177 hp

[D] Fresh water tank can be filled up to 120 L and 140 L (883F), which results in a lower payload.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload. 10

11

SERIE 8F

Equipment and comfort

A-CLASS		850F	855F	866F	880F	883F	896F
CONSTRUCTION		WEIGHT (KG)					
NOVATECH Construction		•	•	•	•	•	•
Impact-resistant polyester panels		•	•	•	•	•	•
Impact-resistant polyester roof		•	•	•	•	•	•
Polyester floor external protection		•	•	•	•	•	•
Floor bodywork with polyurethane		•	•	•	•	•	•
Styrofoam insulation (walls + roof + floor)		•	•	•	•	•	•
BODYWORK AND OPENINGS							
White bodywork, skirt and bumpers		•	•	•	•	•	•
Living area door with 2-point locking, fixed window and inbuilt bin		P	P	P	P	P	P
Large living area door L: 540mm		-	-	-	-	-	-
Living area door mosquito screen		P	P	P	P	P	P
Remote control locking of the cab and living area doors		•	•	•	•	•	•
Insulated fixed step		•	•	-	-	-	-
Insulated fixed step L		-	-	-	-	-	-
Electric retractable step		•	•	•	•	•	•
Living area windows with polyurethane frame		•	•	•	•	•	•
Double glazed living area windows with blind/fly-screen combination		•	•	•	•	•	•
Large living room skylight with interior wood trim		•	•	•	•	•	•
Transparent skylights with fly-screen and blind		•	•	•	•	•	•
External lighting above the living area door		LED	LED	LED	LED	LED	LED
External 230V and fresh water magnetic hatches		•	•	•	•	•	•
HEATING							
TRUMA Combi 6 heating with CP PLUS control panel		•	•	•	•	•	•
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet	0,6	UK PACK	UK PACK	UK PACK	UK PACK	UK PACK	UK PACK
Floor heating in living area (230 V)	7	O	O	O	O	O	O
Additional Webasto 2kW fuel-powered cab heating	8	O	O	O	O	O	O
Heated waste water tank	15	O	O	O	O	O	O
STORAGE							
Internal underfloor storage boxes (volume in litres)		80	110	110	110	110	110
Sliding external storage drawer (volume = 45 L; max. load = 25 kg)	18	O	O	O	O	O	O
Access to storage area/garage from left and right side		-	•	•	•	•	•
Height-adjustable storage area/garage		-	-	-	UK PACK	-	UK PACK
Heated storage area/garage		•	•	•	•	•	•
Fixed storage area lighting		LED	LED	LED	LED	LED	LED
External shower with hot and cold water	1	O	O	O	O	O	O
STYLE							
ELEGANCE furniture (solid maple mouldings) or CASTELLO furniture		•	•	•	•	•	•
Living room furniture with back-lit cubby (storage compartments) LED		•	•	•	•	•	•
Cab bed bottom with stitched TEP* design		•	•	•	•	•	•
Cab bed skirt with embroidered RAPIDO pattern		•	•	•	•	•	•
DENVER fabric		•	•	•	•	•	•
VERONA, DETROIT, MANCHESTER, MONTREAL and MURANO fabrics/TEP*	5	O	O	O	O	O	O
Ambiance LEATHER : AUSTIN, RIGA	8	O	O	O	O	O	O
LIVING ROOM							
Telescopic table leg/Extra occasional berth		•	-	-	-	-	-
High density resistant foam on living room seats		•	•	•	•	•	•
DUO 3D veneer edging laminated table		•	•	•	•	•	•
Folding table	1	UK PACK	UK PACK	UK PACK	UK PACK	UK PACK	UK PACK
Japanese screens		•	•	•	•	•	•
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 520 L x 340 H x 80 D		•	•	•	•	•	•
Speakers in the living area		P	P	P	P	P	P
3 assorted cushions to living room style		•	•	•	•	•	•
Day/night partition		•	-	-	-	-	-
Day/night partition with machined decor		-	•	-	•	-	-
3-point retractable safety belts (cab and living space)		2+3	2+2	2+2	2+2	2+2	2+2
Height-adjustable headrests		•	•	-	•	-	-
Internal living area lighting		LED	LED	LED	LED	LED	LED
Ambience lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED	LED
Living area and cab carpet kit	11	UK PACK	UK PACK	UK PACK	UK PACK	UK PACK	UK PACK
KITCHEN							
Laminated work top with solid wood moulding (ELEGANCE) or veneer edges DUO 3D (CASTELLO)		•	•	•	•	•	•
Worktop extension		•	•	•	•	•	•
Lighting under the bench		LED	LED	LED	LED	LED	LED
Suspended backlit kitchen window finish		•	•	•	•	•	•
Kitchen unit drawers with glossy white and roundish fronts		•	•	•	•	•	•
Self-closing drawers with central locking		•	•	•	•	•	•
Rectangular embossed stainless steel sink		•	•	•	•	•	•
Chromed brass kitchen tap with ceramic cartridge		•	•	•	•	•	•
3-burners embossed stainless steel in-line with cover and piezo ignition		•	•	•	•	•	•
Refrigerator with freezer compartment and automatic power selection		•	•	•	•	•	•
Refrigerator grill covers (for winter use)		•	•	•	•	•	•
Extractor hood with LED lighting		P	P	P	P	P	P
18-litre oven no grill	13	UK PACK	UK PACK	-	-	-	-
28-litre oven with grill	15	-	-	UK PACK	UK PACK	UK PACK	UK PACK

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

* TEP: Polyamide-coated fabric.

○ = Option, • = Original, - = Not available, P = SELECT PACK

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

A-class models with special FIAT chassis & extra-wide rear track

A-CLASS		850F	855F	866F	880F	883F	896F
BATHROOM		WEIGHT (KG)					
Bathroom with wooden furnishings		•	•	•	•	•	•
Chrome finish bathroom accessories		•	•	•	•	•	•
Central XXL bathroom with double partition		-	•	•	-	-	•
Shower column with slate grey Plexiglas finish		•	•	•	•	•	•
Independent shower		•	•	•	•	•	•
Water-saving shower head (-22%)		•	•	•	•	•	•
Clothes drying rack		•	•	•	•	•	•
Stainless steel basin with brass mixer tap and ceramic cartridge		•	•	-	-	-	-
Thermomoulded rectangular basin with brass mixer tap and ceramic cartridge		-	-	•	•	-	-
Camping toilet with removable tank, telescopic handle and castors		•	•	•	•	•	•
BEDROOM							
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	•	•	•	•	•
Permanent height-adjustable bed (≈ 30 cm), adjustment using hydraulic jack	15	-	-	-	UK PACK	-	UK PACK
Bevelled wardrobe with generous storage capacity		-	-	-	•	-	•
Curved bedside table for easier access to storage		-	-	-	•	-	•
Storage drawer on foot of central bed		-	-	-	•	-	•
Side backlit storage alcoves with 12 V plug		-	-	-	•	-	•
Reclinable headboard on permanent bed		-	-	-	•	-	-
Retractable central bed base		-	-	-	•	-	-
Raisable footboard for easier wardrobe access (high twin beds)		-	•	-	-	-	-
Bay window net curtain		•	•	•	•	•	•
Mattress topper with memory foam on permanent bed	6	○	○	○	○	○	○
6 assorted cushions to bedroom style		•	•	•	•	•	•
2nd TV space in bedroom with HDMI pre-cabling + 12 V		•	•	•	•	•	•
ENERGY & COMFORT							
Semi-stationary auxiliary battery with coupler and separator (100 Ah)		•	•	•	•	•	•
« Maintenance-free » second leisure battery	27	○	○	○	○	○	○
« Coming home » mode with automatic awning light		•	•	•	•	•	•
Control panel		•	•	•	•	•	•
Centralised Fuse box with protected « accessories » exits		•	•	•	•	•	•
External 230 V connection		•	•	•	•	•	•
Internal 230 V plug		3	3	3	3	3	3
Internal 12 V plug		4	4	4	4	4	4
Internal 5V USB port		3	3	3	3	3	3
Automatic inverter with anti-crash system, enabling you to travel with the heating on		P	P	P	P	P	P
Solar panel wiring setup		•	•	•	•	•	•
Centralised water distribution (access to all fittings)		•	•	•	•	•	•
EQUIPMENT OF THE CARRIER							
2.3-litre 130 hp engine (only available for the LIGHT chassis)		•	•	•	•	•	•
2.3-litre 150 hp engine (Weight 150 hp/130 hp)	20	○	○	○	○	○	○
2.3-litre 177 hp engine (Weight 177 hp/150 hp)		○	○	○	○	○	○
Comfort Matic robotised automatic gearbox (included ESP)	15	○	○	○	○	○	○
Chassis 35L: possibility of 3.65T GVW		•	•	•	•	•	•
Heavy chassis = GVW 4,4 T (150 hp/177 hp) (included ESP)	40	-	○	○	○	○	○
ABS braking		•	•	•	•	•	•
ESP with « Traction+ », ESC, Hill Descent Control (included for HEAVY and Comfort Matic chassis)	2	○	○	○	○	○	○
Cruise control with limiter		P	P	P	P	P	P
Driver's air bag		•	•	•	•	•	•
Passenger air bag		P	P	P	P	P	P
Engine cold start assistance (Blow-by)		•	•	•	•	•	•
Engine immobiliser		•	•	•	•	•	•
LED day running lights		•	•	•	•	•	•
Fog lights	0,6	○	○	○	○	○	○
Boosted 200 amp alternator		○	○	○	○	○	○
Bus-style wing mirrors: electric and de-icing/white		P	P	P	P	P	P
Bus-style wing mirrors: electric, de-icing, double-view/white		UK PACK	UK PACK	UK PACK	UK PACK	UK PACK	UK PACK
Stabilising jacks at the back or in the wheelbase	5	○	○	○	○	○	○
Light alloy Fiat rims: 15"		○	○	○	○	○	○
Light alloy Fiat rims: 16" (+4,5 cm vehicle height)	12	○	○	○	○	○	○
Tow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg)		65	70	70	70	70	70
Motorcycle carrier + Tow bar [A] (option weight ± 5 kg)		105	110	110	110	110	110
Motorcycle carrier [A] (option weight ± 5 kg)		80	85	85	85	85	85
Fix and go kit		•	•	•	•	•	•
EQUIPMENT OF THE CAB							
Driver door with electric windows		•	•	•	•	•	•
Cab seats height adjustable		P	P	P	P	P	P
Original rotating cab seats with fabric to match the living area		•	•	•	•	•	•
Manual cab air-conditioning		•	•	•	•	•	•
Automatic cab air-conditioning	1	○	○	○	○	○	○
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•	•	•	•	•	•
Black carbon-inspired thermomoulded dashboard		•	•	•	•	•	•
Black Piano style dashboard	0,6	○	○	○	○	○	○
Chrome-ringed instruments		○	○	○	○	○	○
Leather steering wheel and gear knob		○	○	○	○	○	○
KENWOOD® Multimedia car radio 2DIN DVD DIVX MP3		P	P	P	P	P	P
Reversing camera with control screen built into the dashboard		P	P	P	P	P	P
GPS navigation	5	○	○	○	○	○	○
Radio controls on steering wheel		○	○	○	○	○	○
Mechanical wind-down sunshade		•	•	•	•	•	•
Tinted windows		•	•	•	•	•	•
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)		P	P	P	P	P	P
Winter exterior insulation	5	○	○	○	○	○	○
Double-glazed side bays in cab (except driver's door)	10	○	○	○	○	○	○
Without cab bed, with retractable table leg for bed position		○	○	○	○	○	○

[A] If tow bar fitted: possible reduction in registered seats. [B] See back page.

○ = Option, • = Original, - = Not available, P = SELECT PACK

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

PACKS

PACK SELECT

Series 6F, 8F and 80dF

- Rear view camera with night vision
- KENWOOD® multimedia centre with 6.2" screen
- Passenger air bag
- Cruise control
- Electric de-frosting wing mirrors
- Height-adjustable cab seats
- Thermal flap blinds for cab doors and runner blinds for windscreen (6F)
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) (8F, 80dF)
- Fixed window on living area door with inbuilt bin
- Living area door flyscreen
- Speakers in the living area
- Cooker hood with LED lighting (Built in: 6F)
- Automatic Duo Control gas inverter

PACK EXECUTIVE

Series 70F and DISTINCTION

- Rear view camera with night vision (Double view on i10)
- KENWOOD® multimedia centre with 6.2" screen
- IBS: display showing the remaining battery time left
- Driver's door with 2-point locking (DISTINCTION)
- Memory foam mattress topper on permanent bed
- Leather steering wheel and gear knob
- KENWOOD® radio controls on steering wheel
- Radio remote control (on/off, volume and stations) from the bed
- Thermal flap blinds for cab doors and runner blinds for windscreen (70F)
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) (DISTINCTION / electric on i10)
- ESP with Traction+, ESC and Hill Descent Control
- Fog lights
- Stabilising jacks (at the back or in the wheelbase)
- Chrome-ringed instruments



www.rapido.fr

414 RUE DES PERROUINS - CS 20019 - 53101 MAYENNE CEDEX - FRANCE - TEL. +33 2 43 30 10 70 - FAX +33 2 43 30 10 71

Some models presented in this catalogue may be shown with optional equipment. Non-contractual photos: stylistic elements, decor and accessories not included. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.

[B] The technically permissible towable mass of the motor vehicle is a piece of information associated with the type approval of the completed vehicle. Based on the towbar that will be mounted on the vehicle and specific values given by the manufacturer of the towbar and the tow ball, the maximum trailer mass that the vehicle can pull may be less. The characteristics of towbar and tow ball resistance (in particular values D and S) are engraved on a plate fixed on it. Value D allows to calculate the maximum permissible mass for the towbar (MPM) with the following calculation: $MPM = (D \times T \times 1000) / [(T \times 9.81) - (1000 \times D)]$, with T = maximum vehicle mass (GVW) (in kg) and D = value (in kN) indicated on the towbar. The maximum trailer mass (in kg) is thus less than or equal to the MPM for a maximum towable mass of the vehicle that may be up to 2000 kg.